



March 20, 2025

Rep. Christopher Hendricks, Presenter

Rep. Natalie Higgins, Presenter

Rep. Natalie Blais, Chair

Rep. Aaron Saunders, Vice Chair

Senator Dylan Fernandes, Chair

Senator Joanne Comerford, Vice Chair

Joint Committee on Agriculture

RE: H.127 An Act prohibiting the aquaculture of any species of octopus for the purpose of human consumption

The Honorable Rep. Hendricks, Rep. Higgins, House Chair Balais, House Vice Chair Saunders, Senate Chair Fernandes and Senate Vice Chair Comerford:

The National Aquaculture Association<sup>1</sup> respectfully requests [H.127](#) intended to prohibit octopus farming be withdrawn from consideration or voted down within the Joint Committee on Agriculture.

Animal rights activists are working to prohibit octopus farming nationally in the United States through federal and state legislation. They have been misleadingly alarmed by statements made by a [Nueva Pescanova](#), a wild and farmed seafood business based in Spain, claiming a large, indoor octopus farm will be built at the Port of Las Palmas on Gran Canaria Island.

To support an octopus farming prohibition, activists falsely claim dire effects for nutrient pollution, human pathogens, feed type and usage, animal care and sustainability. What are the facts?

### **Can Octopus be Farmed?**

No. Commercially viable octopus farming has yet to be achieved:

- There is a lack of success with planktonic early life stage growth and survival, settlement, commercially feasible diet, and early life stage live feed production on larger scales (Carrasco et al., 2003; Iglesias et al., 2007; Uriarte et al., 2011; Villanueva et al., 2014).
- Ideal culture conditions for planktonic life stages (water temperature, light, tank color) are also unknown (Márquez et al., 2007; Tur et al., 2018).

---

<sup>1</sup> The [National Aquaculture Association](#) (NAA) is a U.S. producer-based, non-profit trade association founded in 1991 that supports the establishment of governmental programs that further the common interest of our membership, both as individual producers and as members of the aquaculture community. For over 34 years NAA has been the united voice of the domestic aquaculture sector committed to the continued growth of our industry, working with state and federal governments to create a business climate conducive to our success, and fostering cost-effective environmental stewardship and sustainability.

### **Why is there Interest in Farming Octopus?**

- Octopuses are an important seafood of global demand which has increased by 59% in the last thirty years from 222,230 t in 1981 to 376,278 t in 2021 (FAO, 2021).
- Current market demand is being satisfied by wild fisheries, and many of these fisheries are poorly regulated with under-reported landings and unsustainable catch rates. (Balguerías et al., 2000; Hernández-García et al., 1998; Martino et al., 2021; Markaida et al., 2015; Noro, 2013; Nottage et al., 2007; Sauer et al., 2021).
- Market demand and value of octopus (\$US 16.93 kg<sup>-1</sup>), combined with poor controls or control enforcement, has led to over-exploitation of wild octopus stocks in the Mediterranean Sea and off the coast of Mauritania (Corten, 2014; FAO, 2021; Quetglas et al., 2015; Vázquez-Rowe et al., 2012) and other octopuses are being over-fished extensively within their respective geographic ranges (El-Ganainy & Riad, 2008; Sauer et al., 2011).

### **Farming Octopus will Relieve Pressure on Wild Stocks**

- Sustainable octopus aquaculture is a potential approach to mitigate fishing pressure (Sauer et al., 2021; Vaz-Pires et al., 2004). Some octopus species are argued to be prime candidates for aquaculture because of their short life spans, high rates of food conversion, rapid growth, tolerance to captive conditions and relatively high fecundity (Forsythe & Hanlon, 1988; Vaz-Pires et al., 2004; Vidal et al., 2014). The life history and the rearing techniques for commercially significant species have been intensively researched describing necessary culture conditions and nutritional requirements (Dan et al., 2018; O'dor et al., 1984; Rosas et al., 2014; Villanueva et al., 2014). Mating of adults and the incubation of egg strings has also been achieved, generating a viable source of early planktonic life stages for subsequent larval rearing (Iglesias et al., 2004; Uriarte et al., 2011; Vidal et al., 2014).

### **Would Octopus Farms in the United States Create Harm or Risk to...**

**Biodiversity:** U.S. aquaculture farms are regulated by a [complex federal and state framework](#) focused on protecting and conserving wild species and their habitat. If octopuses were farmed, they would be housed in indoor tank systems designed to prevent escape, closely monitor animal health and well-being, and capture and treat effluents to avoid surface water pollution.

**Wild Fisheries:** Commercially farmed aquatic animals are fed [compounded, pelleted feed](#) primarily composed of plant protein. If fish or crab meals are required to make pelleted feeds attractive to octopuses, the ingredients will be sourced from managed fisheries or would be the by-product of current, regulated seafood processing.

**Harmful algal blooms:** U.S. aquaculture farms are categorized as point sources under the Clean Water Act. For the [State of Massachusetts](#), the U.S. Environmental Protection Agency issues [National Pollution Discharge Elimination System](#) permits to aquaculture farms to avoid surface water pollution. There are no known or documented cases of any marine aquaculture operations in the United States

causing harmful algae blooms due to nutrient discharges nor are aquaculture facilities cited as impairing freshwater or marine surface waters by any constituent of their discharge.

**Human Pathogens:** Activists identified anisakid nematodes as a human health risk. Aibinu et. al. (2019) wrote, “Humans are...accidentally infected when [anisakid nematode hosts [crustaceans, cephalopods and fish] are ingested either as raw or inadequately cooked or treated fish/shellfish meals. Hence, the infection has been directly linked to eating habits.” Similarly, the Food and Drug Administration identifies uncooked or undercooked octopus and other farmed or wild caught seafood as a human health risk (FDA 2020).

**Captive Octopus Care:** Farms do not succeed unless they care for their captive animals. What those challenges may be are unknown given farming octopus at a commercial scale has not been attempted because of early life stage management and nutrition challenges.

**Animal Sentience:** Farmers and ranchers recognize livestock, chicken, cow, fish, goat, goose, horse, or pig, in their care are aware of the environment and physical threats to well-being. Ascribing human attributes and perception are not founded on science or fact (Browman et al. 2019; Diggles et al. 2024). The National Aquaculture Association adheres to an Aquatic Animal Welfare Policy which states, in part, “Aquaculture husbandry practices demand that animals are held in healthy environments, fed a balanced and complete diet, protected from predators, and monitored throughout their life to insure their general quality and health.” To access this Policy and others, click [here](#). Each U.S. state has enacted statutes to punish individuals who engage in cruelty to animals. Click [here](#) to access state law.

### **Concluding Comments**

There is little doubt that the detractors, and often well financed critics, of U.S. marine aquaculture have significantly contributed to its lackluster U.S. growth compared to other countries (Tiersch and Hargreaves 2002; Knapp and Rubino 2016). Proponents acknowledge marine aquaculture is not risk free in terms of potential environmental, economic, social and cultural impacts and challenges remain to achieving sustainable production. The good news is these challenges are well known, and they are the focus of not only the American science and technology enterprise, but by a global network of scientists from many coastal nations focused on expanding farmed seafood production, restoring at-risk marine species populations (fish and molluscan shellfish). The realities of the current marine aquaculture seascape bode well for a more productive future:

1. There is a clear global imperative to sustainably produce more seafood from capture and culture fisheries to meet constantly growing demand. The U.S. has the marine resources to become a major exporter, if support is provided to solve life cycle and production challenges, not to ban the opportunity to do so.
2. U.S. farmers work within a very complex and effective legal, regulatory, and science-driven environment to anticipate and mitigate potential environmental impacts.

H.127 Comment Letter  
March 20, 2025  
Page Four

3. Farm level management decisions and federal and state regulatory frameworks are working together to bring about environmentally beneficial siting, operational and production outcomes.
4. Commercial aquaculture advocates in government, universities and the farming community have recognized it is essential to reach out to decision-makers and the public, as well as the critics, with the latest research and empirical results to describe an accurate picture of the risks and rewards to farming marine animals and plants.
5. Greater communication and engagement efforts and targeted public research expenditures will enhance the U.S. marine aquaculture track record going forward.
6. Farming aquatic animals is not risk-free. Fortunately, we can and are looking to nations like Canada, Chile, China, Japan, Norway, Panama, Mexico, Ireland, United Kingdom and nations bordering the Mediterranean Sea that are well ahead of the United States in producing farmed seafood to learn from their mistakes and successes.
7. The current federal and state permitting process is thorough, complex, time-consuming and expensive. We believe this is as it should be. As we collectively gain experience, knowledge and environmental data, the time and expense may lessen but the permitting process should always be rigorous. We are dedicated to protecting and conserving marine animals and plants, water quality and aquatic habitats for the next seven generations (Zajicek et al. 2021).

The National Aquaculture Association is indebted to [Jeffrey Good, PhD Candidate, Marine Science, Leigh Marine Laboratory, University of Auckland, New Zealand](#) for contributing octopus farming information.

If you should have questions, need additional information or would appreciate the presence of an NAA member to testify during a committee hearing, please do not hesitate to contact us.

Sincerely,



Sebastian Belle  
President

cc: Seth Garfield, President, Massachusetts Aquaculture Association  
Bob Rheault, Executive Director, East Coast Shellfish Growers Association  
Scott Soares, Founder, Boston Bay Consulting

### References

- Aibinu, I.E., Smooker, P.M., & Lopata, A.L. (2019). Anisakis nematodes in fish and shellfish - from infection to allergies. *International Journal for Parasitology: Parasites and Wildlife*. 9: 384-393. Elsevier Press. [Anisakis Nematodes in Fish and Shellfish- from infection to allergies - ScienceDirect](#).
- Balguerías, E., Quintero, M. E., & Hernández-González, C. L. (2000). The origin of the Saharan Bank cephalopod fishery. *ICES Journal of Marine Science*, 57(1): 15-23. [origin of the Saharan Bank cephalopod fishery | ICES Journal of Marine Science | Oxford Academic \(oup.com\)](#).
- Browman, H.I., Cooke, S.J., Cowx, I.G., Derbyshire, S.W.G., Kasumyan, A., Key, B., ... Arlinghaus, R. (2019). Welfare of aquatic animals: where things are, where they are going, and what it means for research, aquaculture, recreational angling, and commercial fishing. *ICES Journal of Marine Science* 76(1): 82-92. [Welfare of aquatic animals: where things are, where they are going, and what it means for research, aquaculture, recreational angling, and commercial fishing | ICES Journal of Marine Science | Oxford Academic \(oup.com\)](#).
- Carrasco, J. F., Rodriguez, C., & Rodriguez, M. (2003). Cultivo intensivo de paralarvas de pulpo (*Octopus vulgaris*, Cuvier 1797) utilizando como base de la alimentación zoeas vivas de crustáceos. IX Congreso Nacional de Acuicultura, Cadiz, 12, 16.
- Corten, A. (2014). EU–Mauritania fisheries partnership in need of more transparency. *Marine Policy*, 49: 1-11. [EU–Mauritania fisheries partnership in need of more transparency - ScienceDirect](#).
- Dan, S., Iwasaki, H., Takasugi, A., Shibasaki, S., Yamazaki, H., Oka, M., & Hamasaki, K. (2019). Effects of co-supply ratios of swimming crab *Portunus trituberculatus* zoeae and Artemia on survival and growth of East Asian common octopus *Octopus sinensis* paralarvae under an upwelling culture system. *Aquaculture Research*, 50(4):1361-1370. [Effects of co-supply ratios of swimming crab Portunus trituberculatus zoeae and Artemia on survival and growth of East Asian common octopus Octopus sinensis paralarvae under an upwelling culture system - Dan - 2019 - Aquaculture Research - Wiley Online Library](#).
- Diggles, B. K., Arlinghaus, R., Browman, H. I., Cooke, S. J., Cooper, R. L., Cowx, I. G., ... Watson, C. (2023). Reasons to Be Skeptical about Sentience and Pain in Fishes and Aquatic Invertebrates. *Reviews in Fisheries Science & Aquaculture* 32(1): 127-150. [Full article: Reasons to Be Skeptical about Sentience and Pain in Fishes and Aquatic Invertebrates \(tandfonline.com\)](#).
- El-Ganainy, A. A., & Riad, R. (2008). Population structure of *Octopus defilippi* (Verany, 1851) from the Gulf of Suez, Red Sea, Egypt. *Egyptian Journal of Aquatic Biology and Fisheries*, 12(2): 81-91. [<4D6963726F736F667420576F7264202D20DAD2C920DAC8CF20C7E1CDE3EDCF20C7E1CCE4C7EDE4ED> \(ekb.eg\)](#)
- Food and Agricultural Organization (FAO-FishStat). (2021). Fisheries and Aquaculture - Global Statistical Collections. [Data collection - Fishery and Aquaculture | FAO Statistics](#).

- Food and Drug Administration (FDA). (2020). Fish and Fishery Products Hazards and Controls Guidance, Fourth Edition. U.S. Department of Health and Human Services Food and Drug Administration, Center for Food Safety and Applied Nutrition. [Fish and Fishery Products Hazards and Controls Guidance Fourth Edition – March 2020 \(fda.report\)](#).
- Forsythe, J. W., & Hanlon, R. T. (1988). Effect of temperature on laboratory growth, reproduction and life span of *Octopus bimaculoides*. *Marine Biology*, 98(3): 369-379. [Effect of temperature on laboratory growth, reproduction and life span of Octopus bimaculoides | Marine Biology \(springer.com\)](#).
- Hernández-García, V., Hernández-López, J. L., & Castro, J. J. (1998). The octopus (*Octopus vulgaris*) in the small-scale trap fishery off the Canary Islands (Central-East Atlantic). *Fisheries Research*, 35(3):183-189. [The octopus \(Octopus vulgaris\) in the small-scale trap fishery off the Canary Islands \(Central-East Atlantic\) - ScienceDirect](#).
- Iglesias, J., Otero, J. J., Moxica, C., Fuentes, L., & Sánchez, F. J. (2004). The completed life cycle of the octopus (*Octopus vulgaris*, Cuvier) under culture conditions: Paralarval rearing using Artemia and zoeae, and first data on juvenile growth up to 8 months of age. *Aquaculture International*, 12(4-5): 481-487. [The Completed Life Cycle of the Octopus \(Octopus vulgaris, Cuvier\) under Culture Conditions: Paralarval Rearing using Artemia and Zoeae, and First Data on Juvenile Growth up to 8 Months of Age | Aquaculture International \(springer.com\)](#).
- Iglesias, J., Sánchez, F. J., Bersano, J. G. F., Carrasco, J. F., Dhont, J., Fuentes, L., Linares, F., Muñoz, J. L., Okumura, S., Roo, J., van der Meeren, T., Vidal, E. A. G., & Villanueva, R. (2007). Rearing of *Octopus vulgaris* paralarvae: Present status, bottlenecks and trends. *Aquaculture*. 266(1-4): 1-15. [Rearing of Octopus vulgaris paralarvae: Present status, bottlenecks and trends - ScienceDirect](#).
- Knapp, G. & Rubino, M.C. (2016). The political economics of marine aquaculture in the United States. *Reviews in Fisheries Science and Aquaculture*. 24(3): 213-229. [The Political Economics of Marine Aquaculture in the United States: Reviews in Fisheries Science & Aquaculture: Vol 24, No 3 - Get Access \(tandfonline.com\)](#).
- Markaida, U., Mendez-Loeza, I., & Rodriguez-Dominguez, A. (2015). Implementación de señuelos artificiales en la pesca de pulpo al garete. *El Colegio de La Frontera Sur*, 26, 26.
- Márquez, L., Quintana, D., Almansa, E., & Navas, J. I. (2007). Effects of visual conditions and prey density on feeding kinetics of paralarvae of *Octopus vulgaris* from a laboratory spawning. *Journal of Molluscan Studies*.73(2): 117-121. [Effects of visual conditions and prey density on feeding kinetics of paralarvae of Octopus vulgaris from a laboratory spawning | Journal of Molluscan Studies | Oxford Academic \(oup.com\)](#).

- Martino, J. C., Steer, M., & Doubleday, Z. A. (2021). Supporting the sustainable development of Australia's octopus industry: First assessment of an artisanal fishery. *Fisheries Research*, 241, 105999. [Supporting the sustainable development of Australia's octopus industry: First assessment of an artisanal fishery - ScienceDirect](#).
- Noro, K. (2013). Fishing gear and methods used for the octopus fisheries off Aomori Prefecture. *Bulletin Fisheries Research Institute, Aomori Prefectural Technology Research Centre Heisei*, 23: 123-128.
- Nottage, J. D., West, R. J., Montgomery, S. S., & Graham, K. (2007). Cephalopod diversity in commercial fisheries landings of New South Wales, Australia. *Reviews in Fish Biology and Fisheries*, 17(2-3): 271-281. [Cephalopod diversity in commercial fisheries landings of New South Wales, Australia | Reviews in Fish Biology and Fisheries \(springer.com\)](#).
- O'dor, R. K., Mangold, K., Boucher-Rodoni, R., Wells, M. J., & Wells, J. (1984). Nutrient absorption, storage and remobilization in *Octopus vulgaris*. *Marine Behaviour and Physiology*, 11(3): 239-258. [Nutrient absorption, storage and remobilization in octopus vulgaris : Marine Behaviour and Physiology: Vol 11, No 3 \(tandfonline.com\)](#).
- Quetglas, A., Keller, S., & Massutí, E. (2015). Can Mediterranean cephalopod stocks be managed at MSY by 2020? The Balearic Islands as a case study. *Fisheries Management and Ecology*, 22(5): 349-358. [Fisheries Management and Ecology | Aquatic Biology Journal | Wiley Online Library](#).
- Rosas, C., Gallardo, P., Mascaró, M., Caamal-Monsreal, C., & Pascual, C. (2014). Octopus maya in Iglesias, J., Fuentes, L., Villanueva, R. editors *in Cephalopod Culture* (pp. 383-396). Springer Netherlands. [Cephalopod Culture | SpringerLink](#)
- Sauer, W. H. H., Gleadall, I. G., Downey-Breedt, N., Doubleday, Z., Gillespie, G., Haimovici, M., ... Pecl, G. (2021). World Octopus Fisheries. *Reviews in Fisheries Science and Aquaculture*, 29(3): 279-429. [World Octopus Fisheries: Reviews in Fisheries Science & Aquaculture: Vol 29, No 3 - Get Access \(tandfonline.com\)](#).
- Sauer, W. H. H., Potts, W., Raberinary, D., Anderson, J., & Perrine, M. J. S. (2011). Assessment of current data for the octopus resource in Rodrigues, western Indian Ocean. *African Journal of Marine Science*. 33(1): 181-187. [Assessment of current data for the octopus resource in Rodrigues, western Indian Ocean \(blueventures.org\)](#).
- Tiersch, T.R. & Hargreaves, J.A. (2002). Contending with criticism: Sensible responses in an age of advocacy *in* Stickney R.R., McVey J.P., editors. *Responsible Marine Aquaculture*. New York (NY): CABI Publishing. pp. 355-371. [Responsible marine aquaculture | CABI Books \(cabidigitallibrary.org\)](#).

- Tur, R., Roura, Márquez, L., López, C., Lago, M. J., Mallorquín, M., & Almansa, E. (2018). Light conditions and heterogeneity in illumination affect growth and survival of *Octopus vulgaris* paralarvae reared in the hatchery. *Aquaculture*. 497: 306-312. [Light conditions and heterogeneity in illumination affect growth and survival of Octopus vulgaris paralarvae reared in the hatchery - ScienceDirect.](#)
- Uriarte, I., Iglesias, J., Domingues, P., Rosas, C., Viana, M. T., Navarro, J. C., ... Zuñiga, O. (2011). Current status and bottle neck of octopod aquaculture: The case of American species. *Journal of the World Aquaculture Society*. 42(6): 735-752. [Current Status and Bottle Neck of Octopod Aquaculture: The Case of American Species - Uriarte - 2011 - Journal of the World Aquaculture Society - Wiley Online Library.](#)
- Vaz-Pires, P., Seixas, P., & Barbosa, A. (2004). Aquaculture potential of the common octopus (*Octopus vulgaris* Cuvier, 1797): A review. *Aquaculture*. 238(1-4): 221-238. [Aquaculture potential of the common octopus \(Octopus vulgaris Cuvier, 1797\): a review - ScienceDirect.](#)
- Vázquez-Rowe, I., Moreira, M. T., & Feijoo, G. (2012). Environmental assessment of frozen common octopus (*Octopus vulgaris*) captured by Spanish fishing vessels in the Mauritanian EEZ. *Marine Policy*. 36(1): 180-188. [Environmental assessment of frozen common octopus \(Octopus vulgaris\) captured by Spanish fishing vessels in the Mauritanian EEZ - ScienceDirect.](#)
- Vidal, E. A. G., Villanueva, R., Andrade, J. P., Gleadall, I. G., Iglesias, J., Koueta, N., ... Wood, J. (2014). Cephalopod culture: Current status of main biological models and research priorities in *Advances in Marine Biology*. 67: 1-98). Academic Press. [Cephalopod Culture: Current Status of Main Biological Models and Research Priorities - ScienceDirect.](#)
- Villanueva, R., Sykes, A. V., Vidal, E. A. G., Rosas, C., Nabhitabhata, J., Fuentes, L., & Iglesias, J. (2014). Current status and future challenges in cephalopod culture in Iglesias, J., Fuentes, L., Villanueva, R. editors. *Cephalopod Culture* (pp. 479-489). Springer Netherlands. [Cephalopod Culture | SpringerLink.](#)
- Zajicek, P., Corbin, J., Belle, S. & Rheault, R. (2021): Refuting marine aquaculture myths, unfounded criticisms, and assumptions. *Reviews in Fisheries Science & Aquaculture*. [Full article: Refuting Marine Aquaculture Myths, Unfounded Criticisms, and Assumptions \(tandfonline.com\).](#)